

Passenger Name Records (PNRs)

Conversion Quick Reference



ITEM OR TASK	GALILEO FORMAT	SABRE SYSTEM FORMAT
Name Field		
Add name field	N.(surname)/(first name) N.2JONES/ROBERTMR/KIMMRS	-(last name)/(first name) -2JONES/ROBERT MR/KIM MRS
Change name	N.P(number) ⌘ (surname)/(first name) N.P2⌘LEE/JOHN	-(number) ⌘ (last name)/(first name) -2⌘LEE/JOHN MR
Delete name	N.P(number) ⌘ N.P1⌘	-(number) ⌘ -1⌘
Add infant name,	N.I/JONES/THOMAS*15FEB07 P- INF	-I/(last name)/(first name) -I/JONES/THOMAS MR 3INFT/(infant's last name)/(infant's first name)/(date of birth)-(adult name field)
		Notes: Always associate infant's name with the adult passenger travelling with him. Use 4INFT for American Airlines only 4INFT/(infant's last name)/(infant's first name)/(date of birth)-(adult name field)
Phone Field		
Add agency phone field	P. (city)(ID)*(area code and number) P.IAHA*713 555-1212 (agency) P.IAHB*713 555-1212 (business) P.IAAH*713 555-1212 (home)	9(area code and number)-(ID) 9513-555-1234-A (agency) 9513-555-1234-B (business) 9513-555-1234-H (home)
Change phone	P. (item number) ⌘ (city)(ID)*(area code) (new number) P.2⌘MRYB*513 555-1234	9(item number) ⌘ (area code and new number)-(ID) 92⌘513-555-1234-A
Delete phone	P.2⌘	92⌘
Ticketing Field		
Add ticketing field	T.TAU/(date) T.TAU/17SEP	7TAW(date)/ 7TAW15SEP/
Change ticketing field	T. ⌘TAU/(date) T. ⌘TAU/05AUG	7TAW(date)/ 7TAW5AUG/
Delete ticketing field	T. ⌘T*	7⌘

ITEM OR TASK	GALILEO FORMAT	SABRE SYSTEM FORMAT
Address Field		
Add address field	W.(name)*(address)*(city)*(state or province) P/(postal code) W.DR BEYERS*123 OAK ST*PORTLAND*P/97432	5/(name) §5/(address) §5/(city), (state or province) (postal code) 5/DR BEYERS§5/123 OAK ST§5/PORTLAND OR 97432
Change address	W. ▯NEW TEXT	52▯/NEW TEXT
Delete address	52-3▯	52-3 ▯
Form of Payment		
Add credit card form of payment	F. (code and number)/D(expiration date) F.AX123456789/D0905	5-*(code and number) ¥ (expiration date) 5- *AX123456789¥09/05
Received Field		
Add received from	R.(name) R.LINDA	6(name) 6LINDA
Delete received from field	R. ▯	6▯
OSI/SSR Fields		
Add OSI	SI.YY*VIP ROCK STAR	3OSY(YY)(Free text) 3OSI YY VIP ROCK STAR
Change OSI	SI.YY*VIP SCREEN STAR	31▯(carrier code)(free text) 31▯OSI YY VIP SCREEN STAR
Delete OSI	SI.1▯	31▯
Add general remarks	NP. (remarks) NP.RQST AISLE SEAT	5(remarks) 5PAX RQST AISLE SEAT
Request vegetarian meal	SI.VML	3VGML
Request wheelchair	SI.(Passenger number)S(segment number)/WCHR SI.P2S5/WCHR	3(WCHR)(Segment number)-(passenger number) 3WCHR5-2.1
Delete SSR request	SI.P1S5▯	35▯

TASK	GALILEO FORMAT	SABRE SYSTEM FORMAT
PNR displays		
Display PNR using passenger name	*-(surname) *-BERGSTROM	*-(surname) *-BERGSTROM
Display PNR by flight number	*(carrier)(flight number)/(date) (originating city)-(surname) *RG15/1JANRIO-AGOSTINI	*(carrier)(flight number)/(date)-(surname) *RG15/1JAN-AGOSTINI
Display PNR by locator	*(locator) *ASMXX	*(locator) *ASMXX
Display entire PNR	*R	*A
Display select parts of PNR:		
Itinerary	*I	*I
Phone data	*P	*P9
Remarks	*NP	*P5
GFX messages	-----	*P3
Ticketing instructions	*TD	*T
Display the stored fare	*FF	*PQ
Verify itinerary service	*SVC	VI*
Display SSR and OSI	Galileo requires that OSI and SSR data be displayed with another entry	Use *P4 (AA only) or *P3 to display only OSI and SSR information
Save and Ignore Entries		
End Transaction	E	E
End Transaction and retrieve PNR	ER	ER
Ignore	I	I
Ignore and retrieve PNR	IR	IR
Save and clone all customer data – all segments	REALLSALL	ECAPD
Ignore and clone all customer data – all segments		ICAPD

ITEM OR TASK	GALILEO FORMAT	SABRE SYSTEM FORMAT
Printing		
Print all fields of a PNR	P-*ALL	DIT¥DPI
Print ticket only	TDPDTD	W¥
Creating a PNR		
Display availability for today	ASTOLON	1STOLON
Sell Flights	N1Y1*	01Y1*
Price at best fare	FQBB	WPNC
Add name	N.2HUG/SAMMR/ANNMRS	-2HUG/SAM MR/ANN MRS
Add home phone	P.ZRHH*044 555 44 33	9044-555-4433-H
Quote Fare	FQ	WP
Add ticketing date	T.TAU/21DEC	7TAW21DEC/
Assign seats	S.S6/9A/9C	4G69A/9C
Add form of payment	F.AX3700000000/D1112	5-AX3700000000¥11/12
Receive from field	R.HARRRIS/R MR	6HARRIS/R MR
End the record	E or ER	E or ER